



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Sept. 21, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants—Con.</i>												
Butler, Pa.	20,728	3	1
Cambridge, Ohio.	11,327	2	1
Clinton, Mass.	13,075	1	3
Columbus, Ga.	20,554	8
Columbus, Ind.	1
Concord, N. H.	21,497	12
Cumberland, Md.	21,839	15	1	3	1	2	2
Dunkirk, N. Y.	4
Harrison, N. J.	14,498	3	1	1
Homestead, Pa.	18,710	8	1	2
Kearny, N. J.	18,659	5	1
La Fayette, Ind.	20,081	2	2
Lebanon, Pa.	19,240	1
Logansport, Ind.	1
Marinette, Wis.	14,610	5	2	2
Marlboro, Mass.	14,579	1	2	2
Massillon, Ohio	23,870	3	1
Medford, Mass.	23,150	6	1
Melrose, Mass.	16,715	2
Moline, Ill.	24,199	3	1	1
Montclair, N. J.	21,150	7	1
Morristown, N. J.	12,507	4	1	2
Nanticoke, Pa.	18,857	4
Newburyport, Mass.	19,240	4	1	1	1
North Adams, Mass.	22,019	13	1	4
Northampton, Mass.	19,431	6	1	2
Ottumwa, Iowa.	22,012	2	1	1
Plainfield, N. J.	22,250	5	1	1	1
Rutland, Vt.	13,546	1
Saratoga Springs, N. Y.	7	2
South Bethlehem, Pa.	11	6
Steelton, Pa.	14,246	8	2	4	1
Warren, Ohio.	11,080	2
Wilksburg, Pa.	18,924	1	2	1	2
Woburn, Mass.	15,308	5	1	1	1

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

IOWA.—Month of July, 1912. Population, 2,224,771. Total number of deaths from all causes 1,482, including diphtheria 3, scarlet fever 1, tuberculosis 114.

MASSACHUSETTS.—Week ended August 3, 1912. Population of reporting towns, 2,578,786. Total number of deaths from all causes 705, including diphtheria 3, measles 4, scarlet fever 2, tuberculosis 69, typhoid fever 2. Cases reported: Diphtheria 59, measles 101, scarlet fever 52, tuberculosis 129, typhoid fever 38.

Week ended August 10, 1912. Total number of deaths from all causes 702, including diphtheria 5, measles 2, tuberculosis 58, typhoid fever 2. Cases reported: Diphtheria 85, measles 80, scarlet fever 42, smallpox 1, tuberculosis 133, typhoid fever 51.

Week ended August 17, 1912. Total number of deaths from all causes 730, including diphtheria 6, tuberculosis 62, typhoid fever 5.

Cases reported: Diphtheria 63, measles 71, scarlet fever 28, smallpox 2, tuberculosis 142, typhoid fever 88.

Week ended August 24, 1912. Total number of deaths from all causes 729, including diphtheria 8, measles 2, tuberculosis 65, typhoid fever 5. Cases reported: Diphtheria 50, measles 62, scarlet fever 42, smallpox 2, tuberculosis 146, typhoid fever 94.

Week ended August 31, 1912. Total number of deaths from all causes 719, including diphtheria 1, measles 3, tuberculosis 57, typhoid fever 9. Cases reported: Diphtheria 66, measles 49, scarlet fever 32, tuberculosis 126, typhoid fever 61.

NEW JERSEY.—Ten days' ended September 10, 1912. Population, 2,537,167. Total number of deaths from all causes 3,050, including diphtheria 24, measles 17, scarlet fever 9, tuberculosis 304, typhoid fever 51.